| DLOVATO EXTRA EMULATORS for EASY FAST SISTEM | | | | | | | | |
|---|---|--|--|---|---|---|--|--|
| AEB CODE | 391 | 392 | 393 | 393 H | 628128000 | 628129000 | | |
| Туре | Petrol level indicator | Petrol level indicator | Petrol level indicator | Petrol level indicator | Petrol level indicator | Petrol level indicator | | |
| Note | Emulator for petrol level indicator to reset the right level for the car using elettronic system to calcolate the level | indicator for petrol level indicator to reset the right level for the car using elettronic | Emulator for petrol level indicator to reset the right level for the car using eletron system to calculate the level ONLY for PEUGEOT below _ To use on car Citroon / Peugeot with " CAN BUS" type of OBD comunication | Emulator for petrol level indicator to reset the right level for the car using eletron system to calcolate the level ONL! for HONDA below | Emulator for petrol level indicator to reset the right level for the car using elettrol system to calcolate the level ONLY for ALFA ROMEO below | Emulator for petrol level indicator to reset the right level for the car using elstructure system to catoloite the level ONLY for VOLVO below | | |
| Cod. LOVATO | 1180003 | 1180004 | 1180005 | No Lovato code | 628128000 | 628129000 | | |
| APPLIC | MERCEDES ML from 2001 to 2002 | CITROEN C2 (Scheme 3) | PEUGEOT 407 1,8cc 16V MY 2003/2004 | HONDA CIVIC 1.8 | ALFA ROMEO 159 1.8 MY 2007 | VOLVO V70 Flex Fuel 2.5 MY 2009 | | |
| | RENAULT ESPACE from 2001 to 2002 | CITROEN C3 (Scheme 1) | PEUGEOT 1007 1.4 KFV | | | | | |
| | RENAULT AVANTIME | CITROEN XSARA PICASSO dall'anno 2002 (Scheme 1) | PEUGEOT 207 | | | | | |
| | RENAULT VEL SATIS | PEUGEOT 206 from MY 2002 (Scheme 1) | PEUGEOT 307 | | | | | |
| | | PEUGEOT 307 (Scheme 1) | CITROEN C3 1.1 MY 2011 | | | | | |
| | | PEUGEOT 406 from MY 2002 (Scheme 1) | Various CITROEN models with OBD CAN BUS comunication | | | | | |
| | | RENAULT ESPACE from MY 2003 (Scheme 2) | | | | | | |
| | | All RENAULT models execpt Twingo (scheme 3) | WARNING: FOR TWING RELAIS (ORANGE WIRE, YOU FIND | O CUT THE SIGNAL FROM TIMING T UNDER THE DOOR AT LEFT SIDE) | | | | |
| | | MERCEDS ML MY 2004 (Scheme 3) | | | | | | |
| | | LEXUS IS200 - RX300 (scheme 3) | | | | | | |
| | | OPEL ASTRA MY 2002- 2003 (scheme 3) | | | | | | |
| | | OPEL VECTRA MY 2002- 2003 (scheme 3) | | | | | | |

| LOVATO EXTRA EMULATORS for EASY FAST SISTEM | | | | | | | | |
|---|--|--|---|--|--|--|--|---|
| 628450000 | 628126000 | 628127000 | 628454000 | 394 | 431 | 387 | 124 | 628130000 |
| Petrol level indicator | Petrol pressure sensor | Petrol pressure sensor | Petrol pressure sensor | Petrol pressure sensor | Petrol pressure sensor | RPM amplifier | INJECTORS | INJECTORS |
| Emulator for petrol level indicator to reset the right level for the car using eletronic system to calcolate the level ONLY for PEUGEOT / CITROEN VALVETRONIC | Emulatore keep costan tension value of petrol pressure pump during gas mode avoid checkengine lamp on. | Emulatore keep costan tension value of petrol pressure pump during gas mode avoid checkengine lamp on. | Emulatore keep costan tension value of petrol pressure pump during gas mode avoid checkengine lamp on PROGRAM MABLE WITH KIT AEBO11N cod. 1570001 | Emulatore keep costan tension value of petrol pressure pump during gas mode avoid checkengine lamp on. | Emulatore keep costan tension value of petrol pressure pump during gas mode avoid checkengine lamp on. | RPM Amplifier/multiplier (ATTENTION: using LOVATO EASY FAST OBDII System, we can take RPM signal from injectors signal) | Injectors emulator only for the car start check lamp with this kind of problem(only if strictly necessary) | Injectors emulator only for the car start check lamp with this kind of problem. |
| 628450000 | 628126000 | 628127000 | 628454000 | 1180008 | AEB 431 | 057400003 | 1180006 | No Lovato code |
| PEUGEOT VALVETRONIC (all models) | OPEL from My 2010 with petrol pressure sensor on injector rail. | Some FORD cars with Petrol Pressure Sensor. | FORD KUGA 2.5 T | JAGUAR X-Type 2.5 V6 24v Multipoint 2002 - XB (OBD) | VOLVO V50 T5 Turbo | VOLVO 2.5 | MITSUBISCHI all | JAGUAR XJ 4.0 V8 Engine code LB (2001) |
| CITROEN VALVETRONIC (All models) | OPEL ASTRA 1.4 Turbo (A14NET) | | MERCEDES CLASSE E 300 AMG | RANGE ROVER 4.2 | | FORD 2.5 | MITSUBISCHI Pinin 1,8cc MY 2003 engine code 4G93 | |
| | OPEL ASTRA 1.6 (A16XER) | | JAGUAR XF 4.2 V8 | | | NISSAN MICRA 1.2 / 1.4 | MITSUBISCHI Outlander 2000 MY 2003 engine code 4G63 | |
| | OPEL ANTARA 2.4 (LE5) | | JAGUAR XJ 3.0 V6 | | | FIAT Models with 1.8 Hitachi Engine | JAGUAR X-Type 2,0cc V6 (use two) | |
| | | | CHEVROLET CAPTIVA 2.5 (LE9) | | | | JAGUAR X-Type 2,5cc V6 (use two) | |
| | | | VOLVO XC 60 -70 2.0 | | | | JAGUAR X-Type 3,0cc V6 MY 2003 (use two)e) | |
| | | | VOLVO XC 90 2.5 5Cil. | | | | GRAN CHEROKEE 4,0cc 6L (use two) | |
| | | | | | | | DODGE NITRO 4.0 V6 MY 2007 (use two) | |
| | | | | | | | LANCIA FLAVIA 2.4 MY2013 | |
| | | | | | | | CHRYSLER 200 | |
| | | | | | | | CHRYSLER various models only if check engine light is on with injector problems | |
| | | | | | | | Renault Avantime | |

| DLOVATO | EXTRA EMULATORS for EASY FAST SISTEM | | | | | | | | |
|---|---|--|---|--|--|--|--|--|--|
| 125 | 395 | 396 | 424 425 | | 426 | 428 | | | |
| INJECTORS | TPS/MAP EMULATORS | MAP EMULATORS | OBD EMULATORS | OBD EMULATORS | OBD EMULATORS | OBD EMULATORS | | | |
| This emulator avoid the engine still on switching off the ignition or give injector errors. | this emulator avoid on gas to retard the spark Ignition in strongly acceleration with not stable function and performance. modifying TPS e MAP signals giving a better configuration of Ignition advance on gas | this emulator avoid on gas to retard the spark Ignition in strongly acceleration with not stable function and performance. modifying MAP signal giving a better configuration of Ignition advance on gas | this emulator is necessary if you want delete OBD errors and off the check light. Cars with OBDII K-LINE COMUNICATION | this emulator is necessary if you want delete OBD errors and off the check light. Cars with OBDII CAN COMUNICATION | this emulator is necessary if you want delete OBD errors and off the check light. Cars with OBDII CAN COMUNICATION | this emulator is necessary if you want delete OBD errors and off the check light. Cars with OBDII CAN COMUNICATION | | | |
| 1180007 | 1180009 | 11800010 | 783104 | 783105 | 783106 | AEB 428 | | | |
| NISSAN Models with injectors problem | CHRYSLER PT CRUISER 2.0 16v Multipoint OBD | FIAT STILO 1.6 16v Multipoint Marelli IAW 5NF (OBD) | SAE J1850 VPW o SAE J1850 PWM | ISO 9141-2, Keyword 2000 Fast Init o Keyword 2000 Slow Init - UEGO | ISO 9141-2, Keyword 2000 Fast Init o Keyword 2000 Slow Init | ISO 15765, CAN Standard/Extended 250/500 kbps | | | |
| VOLKSWAGEN Models with injectors problem | | FIAT DOBLO 1,6cc 16v | | | | | | | |
| SEAT Models with injectors problem | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| DODGE NITRO 4.0 V6 MY 2007 (Installarne due) | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |